

# SAFETY DATA SHEET

# **VACUUM TOWER ASPHALT EXTENDER**

Infosafe No.: LQ1KJ ISSUED Date : 22/12/2021 ISSUED by: SOUTHERN OIL REFINING PTY

LTD

## Section 1 - Identification

#### **Product Identifier**

**VACUUM TOWER ASPHALT EXTENDER** 

#### **Company Name**

SOUTHERN OIL REFINING PTY LTD

#### **Address**

42 Lewington Street Bomen NSW 2650 AUSTRALIA

## Telephone/Fax Number

Tel: +61 2 5942 3700 Fax: +61 2 6925 8766

## **Emergency Phone Number**

+61 2 5942 3700 (24/7)

## Recommended use of the chemical and restrictions on use

For blending with Asphalt. If this product is used in combination with other products, reference should be made to the SDS for those products.

#### Other Names

one. Names	
	Name
	VTAE

## **Additional Information**

NORTHERN OIL REFINERIES PTY LTD 39 Guerassimoff Road Yarwun QLD 4694 Australia

Tel: +61 7 4975 2666 Fax: +61 7 4975 2677

Emergency number: +61 7 4975 2666

## Section 2 - Hazard(s) Identification

## GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 3

## **Hazard Statement (s)**

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary Statement – Prevention**

P273 Avoid release to the environment.

#### Precautionary Statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

#### Other Information

If transported at or above 100°C the UN number 3257 applies. Contact with hot material may cause serious thermal burns.

## Section 3 - Composition and Information on Ingredients

#### **Ingredients**

Name	CAS	Proportion
Residues from vacuum distilled lubricating oils	129893-17-0	100 %

#### Section 4 - First Aid Measures

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eve

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

#### **First Aid Facilities**

Eyewash and normal washroom facilities.

#### **Advice to Doctor**

Treat symptomatically.

## **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## **Section 5 - Firefighting Measures**

## **Suitable Extinguishing Media**

Carbon dioxide, foam, dry chemical, water mist or water spray.

## **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon dioxide and carbon monoxide.

## Specific hazards arising from the chemical

This product will burn if exposed to fire.

#### **Decomposition Temperature**

Not available

## **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

Page 2 / 7

#### **Section 6 - Accidental Release Measures**

#### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities. Avoid exposure.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

## **Section 8 - Exposure Controls and Personal Protection**

## Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

## **Biological Monitoring**

No biological limits allocated.

## **Control Banding**

Not available

## **Engineering Controls**

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to relevant regulations for further information concerning ventilation requirements.

## **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

## **Eye and Face Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

#### **Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### **Thermal Hazards**

No further relevant information available.

#### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## **Section 9 - Physical and Chemical Properties**

Properties	Description	Properties	Description
Form	Semi Solid	Appearance	Semi-solid
Colour	Black	Odour	Asphalt
Melting Point	Not available	Boiling Point	> 400°C
<b>Decomposition Temperature</b>	Not available	Solubility in Water	Negligible
Specific Gravity	0.95	рН	Not available
Vapour Pressure	<0.1 mmHg ( 0°C)	Relative Vapour Density (Air=1)	> 2.0
Evaporation Rate	Not available	Odour Threshold	0.1 ppm (based on Hydrogen sulphide)
Viscosity	Not available	Pour Point	-3°C
Partition Coefficient: n-octanol/water (log value)	Not available	Flash Point	200°C (minimum)
Flammability	Not flammable	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available

## Section 10 - Stability and Reactivity

## **Chemical Stability**

Stable under normal conditions of storage and handling.

## Possibility of hazardous reactions

Reacts with incompatible materials.

## **Conditions to Avoid**

Heat, open flames and other sources of ignition.

## **Incompatible Materials**

Strong oxidizing agents.

## **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon dioxide and carbon monoxide.

## **Reactivity and Stability**

Reacts with incompatible materials.

## **Hazardous Polymerization**

Will not occur.

## **Section 11 - Toxicological Information**

## **Toxicology Information**

Toxicity data for material given below.

## **Acute Toxicity - Oral**

LD50(rat): > 2000 mg/kg

## **Acute Toxicity - Dermal**

LD50(rabbit): > 2000 mg/kg

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

May be irritating to skin. The symptoms may include redness, itching and swelling. Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.

May be irritating to eyes. The symptoms may include redness, itching and tearing. Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.

## **Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.

#### **Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

#### **STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

#### **STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ.

#### **Aspiration Hazard**

Not expected to be an aspiration hazard.

#### Other Information

Prolonged or repeated eye exposure to hot vapours may cause inflammation of the membranes lining the eye lids and covering the eye ball. Prolonged or repeated skin contact with hot vapours may cause drying, cracking, redness, itching and/or swelling. May also cause acne like lesions, mild keratoses (horny growth), photosensitisation (sensitive to light) or melanosis (patchy skin darkening).

## **Section 12 - Ecological Information**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## Persistence and degradability

Not available

## Mobility

Not available

## **Bioaccumulative Potential**

Not available

## Other Adverse Effects

Not available

#### **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

## Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

## **Section 13 - Disposal Considerations**

#### **Disposal Considerations**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. To minimise personal exposure to the chemical, refer to Section 8—Exposure controls and personal protection.

## **Section 14 - Transport Information**

#### **Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### ADG U.N. Number

None Allocated

#### **ADG Transport Hazard Class**

None Allocated

#### **Special Precautions for User**

Not available

#### **IMDG Marine pollutant**

No

## **Transport in Bulk**

According to MARPOL code.

## **Section 15 - Regulatory Information**

#### **Regulatory Information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### **Poisons Schedule**

Not Scheduled

### **Montreal Protocol**

Not listed

## **Stockholm Convention**

Not listed

## **Rotterdam Convention**

Not listed

## International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

## **Agricultural and Veterinary Chemicals Act 1994**

Not available

#### **Basel Convention**

Not available

## **Section 16 - Any Other Relevant Information**

#### **Date of Preparation**

SDS amendment: August 2023 SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

**RESSDS Reviewed: December 2021** 

Supersedes: May 2018

## **Version Number**

3 1

#### **Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals. (7th revised edition)

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.

Page 7 / 7

Product Name: VACUUM TOWER ASPHALT EXTENDER

Issue Date: 22/12/2021